TEL:029-82491203


#### 圆锥滚子轴承


#### d 33.338-34.925mm-HM88547HM88512











## 尺寸,mm:

| d: | 33.338 |
|----|--------|
| D: | 73.812 |
| T: | 29.370 |

### 额定载荷,N:

| 动载:  | 80600  |
|------|--------|
| 系数e: | 0.55   |
| 系数Y: | 1.10   |
| 动载:  | 20900  |
| 动载:  | 19500  |
| 系数K: | 1.07   |
| 静载C: | 111000 |
|      |        |

### 轴承型号:

| 内圈: | HM88547 |
|-----|---------|
| 外圈: | HM88512 |

### 轴承尺寸,mm:

| В: | 27.783 |
|----|--------|
| C: | 23.020 |
| a: | -5.6   |

### 轴尺寸,mm:

| 最大轴肩倒角半径: | 0.8  |
|-----------|------|
| 轴肩直径:     | 42.5 |
| 轴肩直径:     | 45.5 |

### 轴承座尺寸,mm:

| 最大挡肩倒角半径: | 3.3  |
|-----------|------|
| 挡肩直径:     | 70.0 |
| 挡肩直径:     | 60.0 |

#### 保持架:

| A : | 1.90 |
|-----|------|
| A . | 1.90 |

# TIMKEN d 33.338-34.925mm 【HM88547|HM88512|】--PDF 甘肃精瑞机电设备有限公司 lztimken.com

TEL:029-82491203

| A :   | 1.80   |
|-------|--------|
| 系数:   |        |
| G:    | 26.3   |
| G:    | 11.7   |
| C:    | 0.0857 |
| 重量kg: | 0.61   |

: